Product Data Sheet SATWIPES® Wipes

SATWIPES® Wipes

Polyester/rayon nonwoven wipes presaturated with 70% IPA/30% DI water

SATWIPES® SWNW0013 consists of a roll of (700) 7" x 9" presaturated wipes which are dispensed through a center-pull container. The wipes are made of 50% polyester and 50% rayon nonwoven material creating a soft, durable, and clean wipe. The fabric is strong, sorbent, and low-lint. The saturation of 70% isopropyl alcohol and 30% deionized water provides a safe and mild cleaning solution.

These wipes meet the requirements of USP<797> and IEST-CC-RP004.4 for "non-shedding, low-lint, lint-free wipes".



Features	Benefits
Roll of wipes • Conveniently dispensed through a canister	
Presaturated	For quick clean ups
Strong fabric	• Low-lint

Part No.	Description	Size	Packaging
SWNW0013	SATWIPES Wipes	9" x 7"	700/bucket
	Presaturated with 70% IPA and 30% DI Water	(230 x 178 mm)	

PDSW053 | 052125

Copyright © 2025 Contec, Inc. All rights reserved.



Product Data Sheet SATWIPES® Wipes

Product Information		
Material	50% polyester/ 50% rayon	
Construction	Hydroentangled nonwoven	
Packaging materials	Container, high density polyethylene (HDPE) Case (CS), corrugated fiberboard (PAP)	
Environment	ISO 5-8 Grade C/D	



Recycle	Symbols
PET	
HDPE	2
	_









Technical Data		
Attribute (units)	Typical Value	Test Method
Basis weight, nominal; (g/m²)	42	Contec Method
Non-volatile residue, NVR		IEST-RP-CC004.2, Sec. 6.1.2
In deionized water; (g/m²)	0.027	
In isopropyl alcohol; (g/m²)	0.033	
Particles, readily releasable		
Particles $\geq 0.5 \mu m$; (x10 ⁶ /m ²)	21.3	IEST-RP-CC004.2, Sec. 5.1
Fibers $\geq 100 \mu m$; (x $10^3/m^2$)	0.57	IEST-RP-CC004.2, Sec. 5.2

Packaging	EA/RL	RL/PCH	PCH/CS	EA/CS
SWNW0013	700	1	2	1,400

EA = each; RL = roll; PCH = pouch; CS = case; LBS = pounds

VOC Content	VOC (LBS/CS)	VOC (LBS/PCH)
SWNW0013	8.74	4.37

Notes

- a) The data shown are typical values and should not be used as product specifications.
- b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Test Methods

- CTM = Contec Test Method
- 2. IEST-RP-CC004.3 = Evaluating Wiping Materials Used in Cleanroom and Other Controlled Environments, Institute of Environmental Sciences and Technology, Rolling Meadows IL.

PDSW053 | 052125

Copyright © 2025 Contec, Inc. All rights reserved.